Author Index

Abraham, M.H., Chadha, H.S. and Leo, A.J.
Hydrogen bonding. XXXV. Relationship between high-performance liquid chromatography capacity factors and water–octanol partition coefficients 685(1994)203

Adlof, R.O. and Emken, E.A.
Silver ion high-performance liquid chromatographic separation of fatty acid methyl esters labelled with deuterium atoms on the double bonds 685(1994)178

Akabori, S., see Tamaki, M. 685(1994)237

Ansorgová, A., see Vejrosta, J. 685(1994)113

Aubry, A.-F., Markoglou, N., Descorps, V., Wainer, I.W. and Félix, G.
Evaluation of a chiral stationary phase based on mixed immobilized proteins 685(1994)1

Bahadir, M., see Kolb, M. 685(1994)189

Barker, G.E., see Sun, P. 685(1994)303

Barnikol, W.K.R. and Pötzschke, H.
Calibration of gel-permeation columns in the high-molecular-mass range:. Fixed human thrombocytes for the estimation of interstitial volume and the haemocyanin of the Vineyard snail *Helix pomatia* as a molecular mass calibration substance 685(1994)221

Bonn, G.K., see Corradini, C. 685(1994)213

Buchberger, W., see Harakuwe, A.H. 685(1994)161

Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. I. Optimization of chromatographic parameters 685(1994)79

Burford, M.D., Hawthorne, S.B. and Miller, D.J.
Analysis of volatile organics by supercritical fluid extraction coupled to gas chromatography. II. Quantitation of petroleum hydrocarbons from environmental sample 685(1994)95

Buxaderas, S., see Puig-Deu, M. 685(1994)21

Carter, D., see Jackson, P. 685(1994)287

Chadha, H.S., see Abraham, M.H. 685(1994)203

Chalmers, J.M., see Jackson, P. 685(1994)287

Chaudhary, R.S., see Jindal, K.C. 685(1994)195

Chen, F.-T.A. and Tusak, A.
Characterization of food proteins by capillary electrophoresis 685(1994)331

Chen, Y., Höltje, J.-V. and Schwarz, U.
Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background 685(1994)121

Chuang, W.-C. and Sheu, S.-J.
Determination of ginsenosides in ginseng crude extracts by high-performance liquid chromatography 685(1994)243

Ciucanu, I. and König, W.A.
Immobilization of peralkylated β-cyclodextrin on silica gel for high-performance liquid chromatography 685(1994)166

Cook, B.W., see Jackson, P. 685(1994)287

Cooke, N., see Guttman, A. 685(1994)155

Cooke, N., see Huang, T.-L. 685(1994)313

Corradini, C., Corradini, D., Huber, C.G. and Bonn, G.K.
Synthesis of a polymeric-based stationary phase for carbohydrate separation by high-pH anion-exchange chromatography with pulsed amperometric detection 685(1994)213

Corradini, D., see Corradini, C. 685(1994)213

Cserháti, T. and Forgács, E.
Retention of 4-cyanophenyl herbicides on water-insoluble β-cyclodextrin support 685(1994)295

Dabek-Zlotorzynska, E. and Dlouhy, J.F.
Capillary zone electrophoresis with indirect UV detection of organic anions using 2,6-naphthalenedicarboxylic acid 685(1994)145

D'Agostino, P.A.
Modern Methods and Applications in Analysis of Explosives (by J. Yinon and S. Zitrin) (Book Review) 685(1994)200

Dasgupta, A., Thompson, W.C. and Malik, S.
Use of microwave irradiation for rapid synthesis of perfluorooctanoyl derivatives of fatty alcohols, a new derivative for gas chromatography–mass spectrometric and fast atom bombardment mass spectrometric study 685(1994)279

Denekamp, C., Mandelbaum, A., Weisz, A. and Ito, Y.
Preparative separation of stereoisomeric 1-methyl-4-methoxymethylcyclohexanecarboxylic acids by pH-zone-refining counter-current chromatography 685(1994)253

Dent, G., see Jackson, P. 685(1994)287

Descorps, V., see Aubry, A.-F. 685(1994)1

Dlouhy, J.F., see Dabek-Zlotorzynska, E. 685(1994)145

Dunkin, I.R., see Jackson, P. 685(1994)287

El Rassi, Z., see Smith, J.T. 685(1994)131

Emken, E.A., see Adlof, R.O. 685(1994)178

Fales, H.M., see Ma, Y. 685(1994)259

Fanta, J., see Vejrosta, J. 685(1994)113

Félix, G., see Aubry, A.-F. 685(1994)1

Forgács, E., see Cserháti, T. 685(1994)295

Gangwal, S.S., see Jindal, K.C. 685(1994)195

Goetghebeur, M., see Kermasha, S. 685(1994)229

Gomes, C.A.R., see Vasconcelos, M.T.S.D. 685(1994)53

Grimvall, E. and Östman, C.
Fractionation of non-*ortho*-substituted toxic polychlorinated biphenyls on two nitro-containing liquid chromatographic stationary phases 685(1994)338

Guo, W., Shang, Z., Yu, Y. and Zhou, L.
Membrane affinity chromatography of alkaline phosphatase 685(1994)344

Guttman, A. and Cooke, N.
Practical aspects in chiral separation of pharmaceuticals by capillary electrophoresis. II. Quantitative separation of naproxen enantiomers 685(1994)155

Haddad, P.R., see Harakuwe, A.H. 685(1994)161

Harakuwe, A.H., Haddad, P.R. and Buchberger, W.
Optimisation of separation selectivity in capillary zone electrophoresis of inorganic anions using binary cationic surfactant mixtures 685(1994)161

Hartwick, R.A., see Sun, P. 685(1994)303
Hawthorne, S.B., see Burford, M.D. 685(1994)79
Hawthorne, S.B., see Burford, M.D. 685(1994)95
Höltje, J.-V., see Chen, Y. 685(1994)121
Huang, T.-L., Shieh, P.C.H., Koh, E.V. and Cooke, N.
Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins 685(1994)313
Huber, C.G., see Corradini, C. 685(1994)213
Husain, S., Nageswara Sarma, P., Sita Rama Rao, K. and Lakshmi, V.V.S.
Separation and determination of reaction mixtures of anthraquinone by gas chromatography 685(1994)356
Ito, Y., see Denekamp, C. 685(1994)253
Ito, Y., see Ma, Y. 685(1994)259
Jackson, P., Carter, D., Dent, G., Cook, B.W., Chalmers, J.M. and Dunkin, I.R.
Selective thermolysis of the enol forms of acetoacetates during gas chromatography, revealed by combined matrix-isolation Fourier transform infrared and mass spectrometry 685(1994)287
Janda, V., see Vejrosta, J. 685(1994)113
Jindal, K.C., Chaudhary, R.S., Gangwal, S.S., Singla, A.K. and Khanna, S.
High-performance thin-layer chromatographic method for monitoring degradation products of rifampicin in drug excipient interaction studies 685(1994)195
Jing, G., Zhou, B., Liu, L., Zhou, J. and Liu, Z.
Resolution of proteins on a phenyl-Superose HR5/5 column and its application to examining the conformation homogeneity of refolded recombinant staphylococcal nuclease 685(1994)31
Kanoongo, N., see Mathur, V. 685(1994)360
Karásek, P., see Vejrosta, J. 685(1994)113
Kermasha, S., Kubow, S. and Goetghebeur, M.
Comparative high-performance liquid chromatographic analyses of cholesterol and its oxidation products using diode-array ultraviolet and laser light-scattering detection 685(1994)229
Khanna, S., see Jindal, K.C. 685(1994)195
Koh, D., see Lee, B.L. 685(1994)263
Koh, E.V., see Huang, T.-L. 685(1994)313
Kolb, M. and Bahadir, M.
Formation of Schiff bases with acetone as a solvent in the determination of anilines 685(1994)189
König, W.A., see Ciucanu, I. 685(1994)166
Kubow, S., see Kermasha, S. 685(1994)229
Lakshmi, V.V.S., see Husain, S. 685(1994)356
Lameloise, M.-L. and Lewandowski, R.
Purification of beet molasses by ion-exclusion chromatography: fixed-bed modelling 685(1994)45
Landman, A., see Sun, P. 685(1994)303
Lee, B.L., Ong, H.Y., Koh, D. and Ong, C.N.
High-performance liquid chromatographic method for determination of dehydroabietic and abietic acids, the skin sensitizers in bindi adhesive 685(1994)263
Leo, A.J., see Abraham, M.H. 685(1994)203
Lewandowski, R., see Lameloise, M.-L. 685(1994)45
Liu, L., see Jing, G. 689(1994)31
Liu, Z., see Jing, G. 689(1994)31
Ma, Y., Ito, Y., Sokolosky, E. and Fales, H.M.
Separation of alkaloids by pH-zone-refining counter-current chromatography 685(1994)259
Machado, A.A.S.C., see Vasconcelos, M.T.S.D. 685(1994)53
Malik, S., see Dasgupta, A. 685(1994)279
Mandelbaum, A., see Denekamp, C. 685(1994)253
Marina, M.L., see San Andrés, M.P. 685(1994)271
Markoglou, N., see Aubry, A.-F. 685(1994)1
Mathur, N.K., see Mathur, V. 685(1994)360
Mathur, R., see Mathur, V. 685(1994)360
Mathur, V., Kanoongo, N., Mathur, R., Narang, C.K. and Mathur, N.K.
Resolution of amino acid racemates on borate-gelled guaran-impregnated silica gel thin-layer chromatographic plates 685(1994)360
McCarthy, J.P.
Direct enantiomeric separation of the four stereoisomers of nadolol using normal-phase and reversed-phase high-performance liquid chromatography with Chiralpak AD 685(1994)349
Mikešová, M., see Vejrosta, J. 685(1994)113
Miller, D.J., see Burford, M.D. 685(1994)79
Miller, D.J., see Burford, M.D. 685(1994)95
Muramatsu, I., see Tamaki, M. 685(1994)237
Nageswara Sarma, P., see Husain, S. 685(1994)356
Nakamura, K.T., see Shimada, E. 685(1994)172
Narang, C.K., see Mathur, V. 685(1994)360
Nau, H., see Sass, J.O. 685(1994)182
Ong, C.N., see Lee, B.L. 685(1994)263
Ong, H.Y., see Lee, B.L. 685(1994)263
Östman, C., see Grimvall, E. 685(1994)338
Planeta, J., see Vejrosta, J. 685(1994)113
Pötzschke, H., see Barnikol, W.K.R. 685(1994)221
Puig-Deu, M. and Buxaderas, S.
Analytical conditions for the determination of 23 phenylthiocarbamyl amino acids and ethanolamine in musts and wines by high-performance liquid chromatography 685(1994)21
Ríos, A.
Flow Injection Separation and Preconcentration (by Z. Fang) (Book Review) 685(1994)365
San Andrés, M.P., Vera, S. and Marina, M.L.
Determination of Ni(II), Co(II) and Cu(II) as diethyldithiocarbamate complexes by high-performance liquid chromatography using hexadecyltrimethylammonium bromide in the mobile phase 685(1994)271
Sass, J.O. and Nau, H.
Single-run analysis of isomers of retinoyl-β-D-glucuronide and retinoic acid by reversed-phase high-performance liquid chromatography 685(1994)182
Schwarz, U., see Chen, Y. 685(1994)121
Sebille, B., see Thuaud, N. 685(1994)15
Shang, Z., see Guo, W. 685(1994)344
Sheu, S.-J., see Chuang, W.-C. 685(1994)243
Shieh, P.C.H., see Huang, T.-L. 685(1994)313

Shimada, E. and Nakamura, K.T.
Determination of Stokes radii and molecular masses of sodium hyaluronates by Sephacryl gel chromatography 685(1994)172
Simanov, A.L.
High-performance liquid chromatographic analysis of low-molecular-mass products synthesized by polynucleotide phosphorylase in polymerization reaction 685(1994)39
Šimek, Z. and Vespalec, R.
Interpretation of enantioselective activity of albumin used as the chiral selector in liquid chromatography and electrophoresis 685(1994)7
Singla, A.K., see Jindal, K.C. 685(1994)195
Sita Rama Rao, K., see Husain, S. 685(1994)356
Smith, J.T. and El Rassi, Z.
Micellar electrokinetic capillary chromatography with in situ charged micelles. IV. Influence of the nature of the alkylglycoside surfactant 685(1994)131
Sokolosky, E., see Ma, Y. 685(1994)259
Sun, P., Landman, A., Barker, G.E. and Hartwick, R.A.
Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis 685(1994)303
Takayama, Y. and Takeichi, T.
Preparation of deactivated metal capillary for gas chromatography 685(1994)61
Takeichi, T., see Takayama, Y. 685(1994)61
Tamaki, M., Akabori, S. and Muramatsu, I.
Studies of gramicidin S analogues having various ring sizes by reversed-phase high-performance liquid chromatography 685(1994)237
Thompson, W.C., see Dasgupta, A. 685(1994)279
Thuaud, N. and Sebille, B.
Structural factors affecting the enantiomeric separation of barbiturates and thiobarbiturates with a chiral side-chain by various β-cyclodextrin supports. Effects of the presence of hydroxypropyl substituents on the chiral selector 685(1994)15
Tusak, A., see Chen, F.-T.A. 685(1994)331
Vasconcelos, M.T.S.D., Gomes, C.A.R. and Machado, A.A.S.C.
Ion chromatographic determination of fluoride in welding fumes with elimination of high contents of iron by solid-phase extraction 685(1994)53
Vejrosta, J., Planeta, J., Mikešová, M., Ansorgová, A., Karásek, P., Fanta, J. and Janda, V.
Solute collection after off-line supercritical fluid extraction into a moving liquid layer 685(1994)113
Vera, S., see San Andrés, M.P. 685(1994)271
Vespalec, R., see Šimek, Z. 685(1994)7
Wagner, J., see Walbroehl, Y. 685(1994)321
Wainer, I.W., see Aubry, A.-F. 685(1994)1
Walbroehl, Y. and Wagner, J.
Chiral separations of amino acids by capillary electrophoresis and high-performance liquid chromatography employing chiral crown ethers 685(1994)321
Weisz, A., see Denekamp, C. 685(1994)253
Yu, Y., see Guo, W. 685(1994)344
Zhou, B., see Jing, G. 685(1994)31
Zhou, J., see Jing, G. 685(1994)31
Zhou, L., see Guo, W. 685(1994)344